

**Abrasives and  
polishing  
materials**


# **ONE TECH**





**NAME**  
↓

**SANDING DISC**  
Ø 35 mm / without holes  
- Self-adhesive





↑  
**PICTURE**

**TABLE**  
↓


GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
1200	FILM	K.200.00035.1200	50
1500	FILM	K.200.00035.1500	50
2000	FILM	K.200.00035.2000	50
2500	FILM	K.200.00035.2500	50

↑  
**APPLICATION**





← **USE**


## APPLICATION




AUTOMOTIVE




WOOD



MARINE




COMPOSITE



METAL


## USE



HAND  
SANDING



MINI  
SANDERS



ECCENTRIC  
SANDERS



RANDOM  
ORBITAL SANDERS

# 01



## Abrasive materials

---

- Improved abrasive grains together with an electrostatic method of application ensures even depth of cut over the entire surface of the OneTech abrasive material.

- The film backing of the abrasive materials ensures high quality of sanding and an increased service life even on the edges of processed parts.
- The additional stearate coating protects the abrasive material from clogging and guarantees up to 2-times longer sanding in comparison with the classic abrasives.

## SANDING DISC

Ø 35 mm / without holes

- Self-adhesive



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
1200	FILM	K200.00035.1200	50
1500	FILM	K200.00035.1500	50
2000	FILM	K200.00035.2000	50
2500	FILM	K200.00035.2500	50



## SANDING DISC

Ø 150 mm / 6 holes

- Hook and loop fastener (Velcro)
- Aluminium oxide
- Stearate coating



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
60	FILM	K206.00150.0060	50
80	FILM	K206.00150.0080	100
100	FILM	K206.00150.0100	100
120	FILM	K206.00150.0120	100
150	FILM	K206.00150.0150	100
180	FILM	K206.00150.0180	100
220	FILM	K206.00150.0220	100
240	FILM	K206.00150.0240	100
320	FILM	K206.00150.0320	100
400	FILM	K206.00150.0400	100
500	FILM	K206.00150.0500	100
600	FILM	K206.00150.0600	100
800	FILM	K206.00150.0800	100
1000	FILM	K206.00150.1000	100
1500	FILM	K206.00150.1500	100
2000	FILM	K206.00150.2000	100





## SANDING DISC

Ø 150 mm / 7 holes

- Hook and loop fastener (Velcro)
- Aluminium oxide
- Stearate coating



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
60	FILM	K207.00150.0060	50
80	FILM	K207.00150.0080	100
100	FILM	K207.00150.0100	100
120	FILM	K207.00150.0120	100
150	FILM	K207.00150.0150	100
180	FILM	K207.00150.0180	100
220	FILM	K207.00150.0220	100
240	FILM	K207.00150.0240	100
320	FILM	K207.00150.0320	100
400	FILM	K207.00150.0400	100
500	FILM	K207.00150.0500	100
600	FILM	K207.00150.0600	100
800	FILM	K207.00150.0800	100
1000	FILM	K207.00150.1000	100
1500	FILM	K207.00150.1500	100
2000	FILM	K207.00150.2000	100



## SANDING DISC

Ø 150 mm / 15 holes

- Hook and loop fastener (Velcro)
- Aluminium oxide
- Stearate coating



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
60	FILM	K215.00150.0060	50
80	FILM	K215.00150.0080	100
100	FILM	K215.00150.0100	100
120	FILM	K215.00150.0120	100
150	FILM	K215.00150.0150	100
180	FILM	K215.00150.0180	100
220	FILM	K215.00150.0220	100
240	FILM	K215.00150.0240	100
320	FILM	K215.00150.0320	100
400	FILM	K215.00150.0400	100
500	FILM	K215.00150.0500	100
600	FILM	K215.00150.0600	100
800	FILM	K215.00150.0800	100
1000	FILM	K215.00150.1000	100
1500	FILM	K215.00150.1500	100
2000	FILM	K215.00150.2000	100





## SANDING DISC

Ø 150 mm / 15 holes

- Hook and loop fastener (Velcro)
- Aluminium oxide



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
80	PAPER	K315.00150.0080	100
100	PAPER	K315.00150.0100	100
120	PAPER	K315.00150.0120	100
150	PAPER	K315.00150.0150	100
180	PAPER	K315.00150.0180	100
220	PAPER	K315.00150.0220	100
240	PAPER	K315.00150.0240	100
320	PAPER	K315.00150.0320	100
400	PAPER	K315.00150.0400	100
500	PAPER	K315.00150.0500	100
600	PAPER	K315.00150.0600	100



## SANDING DISC

Ø 150 mm / 15 holes

- PSA (Self-adhesive)
- Aluminium oxide



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
80	PAPER	K415.00150.0080	100
100	PAPER	K415.00150.0100	100
120	PAPER	K415.00150.0120	100
150	PAPER	K415.00150.0150	100
180	PAPER	K415.00150.0180	100
220	PAPER	K415.00150.0220	100
240	PAPER	K415.00150.0240	100
320	PAPER	K415.00150.0320	100
400	PAPER	K415.00150.0400	100
500	PAPER	K415.00150.0500	100
600	PAPER	K415.00150.0600	100






## SANDING DISC

Ø 150 mm / 6 holes

- Hook and loop fastener (Velcro)
- Ceramic grain




GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
80	PAPER	K506.00150.0080	100
100	PAPER	K506.00150.0100	100
120	PAPER	K506.00150.0120	100
150	PAPER	K506.00150.0150	100
180	PAPER	K506.00150.0180	100
220	PAPER	K506.00150.0220	100
240	PAPER	K506.00150.0240	100
320	PAPER	K506.00150.0320	100
400	PAPER	K506.00150.0400	100
500	PAPER	K506.00150.0500	100
600	PAPER	K506.00150.0600	100
800	PAPER	K506.00150.0800	100



## SANDING DISC

Ø 150 mm / 7 holes

- Hook and loop fastener (Velcro)
- Ceramic grain



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
80	PAPER	K507.00150.0080	100
100	PAPER	K507.00150.0100	100
120	PAPER	K507.00150.0120	100
150	PAPER	K507.00150.0150	100
180	PAPER	K507.00150.0180	100
220	PAPER	K507.00150.0220	100
240	PAPER	K507.00150.0240	100
320	PAPER	K507.00150.0320	100
400	PAPER	K507.00150.0400	100
500	PAPER	K507.00150.0500	100
600	PAPER	K507.00150.0600	100
800	PAPER	K507.00150.0800	100







## SANDING DISC

Ø 150 mm / 15 holes

- Hook and loop fastener (Velcro)
- Ceramic grain



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
80	PAPER	K515.00150.0080	100
100	PAPER	K515.00150.0100	100
120	PAPER	K515.00150.0120	100
150	PAPER	K515.00150.0150	100
180	PAPER	K515.00150.0180	100
220	PAPER	K515.00150.0220	100
240	PAPER	K515.00150.0240	100
320	PAPER	K515.00150.0320	100
400	PAPER	K515.00150.0400	100
500	PAPER	K515.00150.0500	100
600	PAPER	K515.00150.0600	100
800	PAPER	K515.00150.0800	100



## NET SANDING DISC

Ø 150 mm

- Hook and loop fastener (Velcro)



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
80	NET	K600.00150.0080	100
100	NET	K600.00150.0100	100
120	NET	K600.00150.0120	100
150	NET	K600.00150.0150	100
180	NET	K600.00150.0180	100
220	NET	K600.00150.0220	100
240	NET	K600.00150.0240	100
320	NET	K600.00150.0320	100
400	NET	K600.00150.0400	100
500	NET	K600.00150.0500	100
600	NET	K600.00150.0600	100



## NET SANDING DISC

Ø 225 mm

- Hook and loop fastener (Velcro)



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
100	NET	K600.00225.0100	100
120	NET	K600.00225.0120	100
150	NET	K600.00225.0150	100
180	NET	K600.00225.0180	100



## HIGHLY FLEXIBLE SANDING DISC

Ø 150 mm

- Hook and loop fastener (Velcro)



GRIT RANGE	BACKING	PRODUCT CODE	PCS./PACKAGE
1500	FILM	K715.00150.1500	100
2000	FILM	K715.00150.2000	100
3000	FILM	K715.00150.3000	100



# 02



**Polishing pads, cloths**

---

- **FOAM PADS.** High-density foam pads are designed for perfect use on the gear-driven, rotary and dual action orbital polishers.

## BLUE

- Hook and loop fastener (Velcro)



DIMENSION	FASTENER	DESCRIPTION	PRODUCT CODE	PCS./PACKAGE
4' (100mm)	3' (80mm)	HARD	NT11-0100-CC	1
6' (150mm)	5' (125mm)	HARD	NT11-0150-CC	1
7' (180mm)	6' (150mm)	HARD	NT11-0180-CC	1
4' (100mm)	3' (80mm)	HARD	NT11-0100-CC48	48
6' (150mm)	5' (125mm)	HARD	NT11-0150-CC48	48
7' (180mm)	6' (150mm)	HARD	NT11-0180-CC48	48

## GREEN

- Hook and loop fastener (Velcro)



DIMENSION	FASTENER	DESCRIPTION	PRODUCT CODE	PCS./PACKAGE
4' (100mm)	3' (80mm)	MEDIUM	NT11-0100-MC	1
6' (150mm)	5' (125mm)	MEDIUM	NT11-0150-MC	1
7' (180mm)	6' (150mm)	MEDIUM	NT11-0180-MC	1
4' (100mm)	3' (80mm)	MEDIUM	NT11-0100-MC48	48
6' (150mm)	5' (125mm)	MEDIUM	NT11-0150-MC48	48
7' (180mm)	6' (150mm)	MEDIUM	NT11-0180-MC48	48

## YELLOW

- Hook and loop fastener (Velcro)



DIMENSION	FASTENER	DESCRIPTION	PRODUCT CODE	PCS./PACKAGE
4' (100mm)	3' (80mm)	SOFT	NT11-0100-F	1
6' (150mm)	5' (125mm)	SOFT	NT11-0150-F	1
7' (180mm)	6' (150mm)	SOFT	NT11-0180-F	1
4' (100mm)	3' (80mm)	SOFT	NT11-0100-F48	48
6' (150mm)	5' (125mm)	SOFT	NT11-0150-F48	48
7' (180mm)	6' (150mm)	SOFT	NT11-0180-F48	48

## WHITE

- Hook and loop fastener (Velcro)



DIMENSION	FASTENER	DESCRIPTION	PRODUCT CODE	PCS./PACKAGE
4' (100mm)	3' (80mm)	SUPER SOFT	NT11-0100-UF	1
6' (150mm)	5' (125mm)	SUPER SOFT	NT11-0150-UF	1
7' (180mm)	6' (150mm)	SUPER SOFT	NT11-0180-UF	1
4' (100mm)	3' (80mm)	SUPER SOFT	NT11-0100-UF48	48
6' (150mm)	5' (125mm)	SUPER SOFT	NT11-0150-UF48	48
7' (180mm)	6' (150mm)	SUPER SOFT	NT11-0180-UF48	48



## MICROFIBER DISC

- Hook and loop fastener (Velcro)
- Microfiber strips on the dense foam backing
- For use with a bit oily polishing compounds



DIMENSION	FINISHING	PRODUCT CODE	PCS./PACKAGE
2' (55mm)	ROUGH AND FINAL	NT11-0055-MF	1
3' (80mm)	ROUGH AND FINAL	NT11-0080-MF	1
4' (100mm)	ROUGH AND FINAL	NT11-0100-MF	1
6' (150mm)	ROUGH AND FINAL	NT11-0150-MF	1
7' (180mm)	ROUGH AND FINAL	NT11-0180-MF	1
2' (55mm)	ROUGH AND FINAL	NT11-0055-MF48	48
3' (80mm)	ROUGH AND FINAL	NT11-0080-MF48	48
4' (100mm)	ROUGH AND FINAL	NT11-0100-MF48	48
6' (150mm)	ROUGH AND FINAL	NT11-0150-MF48	48
7' (180mm)	ROUGH AND FINAL	NT11-0180-MF48	48



## DETAILING PRO DISC

- Hook and loop fastener (Velcro)
- 100% lamb's wool
- short wool fibers on the soft foam backing for additional control over the polishing process



DIMENSION	FINISHING	PRODUCT CODE	PCS./PACKAGE
1' (30mm)	ROUGH AND FINAL	NT11-0030-DP	1
2' (55mm)	ROUGH AND FINAL	NT11-0055-DP	1
3' (80mm)	ROUGH AND FINAL	NT11-0080-DP	1
4' (100mm)	ROUGH AND FINAL	NT11-0100-DP	1
5' (135mm)	ROUGH AND FINAL	NT11-0135-DP	1
6' (160mm)	ROUGH AND FINAL	NT11-0160-DP	1
1' (30mm)	ROUGH AND FINAL	NT11-0030-DP48	48
2' (55mm)	ROUGH AND FINAL	NT11-0055-DP48	48
3' (80mm)	ROUGH AND FINAL	NT11-0080-DP48	48
4' (100mm)	ROUGH AND FINAL	NT11-0100-DP48	48
5' (135mm)	ROUGH AND FINAL	NT11-0135-DP48	48
6' (160mm)	ROUGH AND FINAL	NT11-0160-DP48	48



## LAMB'S WOOL DISC

- Hook and loop fastener (Velcro)



DIMENSION	FINISHING	PRODUCT CODE	PCS./PACKAGE
2' (50mm)	ROUGH AND FINAL	NT11-0050-SW	1
3' (80mm)	ROUGH AND FINAL	NT11-0080-SW	1
4' (100mm)	ROUGH AND FINAL	NT11-0100-SW	1
5' (130mm)	ROUGH AND FINAL	NT11-0130-SW	1
6' (150mm)	ROUGH AND FINAL	NT11-0150-SW	1
7' (180mm)	ROUGH AND FINAL	NT11-0180-SW	1
8' (200mm)	ROUGH AND FINAL	NT11-0200-SW	1
2' (50mm)	ROUGH AND FINAL	NT11-0050-SW48	48
3' (80mm)	ROUGH AND FINAL	NT11-0080-SW48	48
4' (100mm)	ROUGH AND FINAL	NT11-0100-SW48	48
5' (130mm)	ROUGH AND FINAL	NT11-0130-SW48	48
6' (150mm)	ROUGH AND FINAL	NT11-0150-SW48	48
7' (180mm)	ROUGH AND FINAL	NT11-0180-SW48	48
8' (200mm)	ROUGH AND FINAL	NT11-0200-SW48	48



- Lamb's wool polishing discs are compatible with virtually all rotary polishers.
- They provide an optimized balance between rough and final finishing.



## MICROFIBER CLOTH

- 80% polyester
- 20% nylon



DIMENSION	COLOUR	DENSITY	PRODUCT CODE	PCS./PACKAGE
40 x 40 mm	GREY	500 g/m2	FLUFFY	2
40 x 40 mm	GREY-YELLOW	500 g/m2	POLISH EXTREM	1
40 x 40 mm	GREY	500 g/m2	FLUFFY-50	50
40 x 40 mm	GREY-YELLOW	500 g/m2	POLISH EXTREM-50	50



- It is a seamless high-quality professional microfibre cloth with basted edges for surface polishing.
- The cloth can remove dirt, dust, spots, and excess polishing compound. It doesn't leave streaks and fibers.





**Your regional distributor**



[info@onetech-tools.com](mailto:info@onetech-tools.com)



[www.onetech-tools.com](http://www.onetech-tools.com)